




# PESCAVISION

## Led fish counter



### Pescavision 10



The Pescavision 10 has an easy-to-open access to the 8 channels. For example, to clean the electronic photo sensors.

# PESCAVISION

## Led fish counter

### Fish counters for counting Fish weight 5 g to 150 g.


They offer an unparalleled ease of use.. It can be installed very quickly.

The Pescavision 10 model meets the needs to count the fish ranging from 5g to 150g.

It is designed to be placed at the outlet of the grading machine, thereby centralizing the equipment and reducing the installation time. With this system, no more counters at the end of the pipes.

Our Pescavision can count many fish species, including:

- Trout
- Salmon
- Tilapia
- Carp
- Perch
- Sea Bass
- Sea Bream
- Etc...





The principle behind this counter is simple. A beam emitted by a LED crosses each channel. The fish that go through the beam give a counting pulse. The fish dividers ensure that the fish go through the beam one by one.



The NEW optional control box can centralize counting information up to 4 fish counters  
Ref : **PESCA4CO**



A Helios 10 grader coupled with four (4) Pescamotion 10 fish counters and a reception tank.

Reception tank for Pescavision :  
- Ø 200 mm Ref. : **CBRC200**



Easy to use !  
Large touch screen counter display.  
All information in a single display:

- Number of fish for each counter
- Total number of fish
- History of the 5 last counting sessions
- Counting time




\*Download the counting report on your PC with the USB key.

(\*Control Box only)

## Description

- ① Fish counter inlet female Ø 125 mm
- ② Fish dividers (Our fish counter is delivered with 5 fish dividers)
- ③ Fish counter body in marine grade aluminum
- ④ Channel access with cover
- ⑤ LCD display : number of fish
- ⑥ Counter feet
- ⑦ Carry handles
- ⑧ Fish counter outlet



## Specifications

Fish counter model	PESCOVISION 10	
Fish species	Trout Salmon Bass	Bream/Tilapia
Fish weight	5 g to 150 g	5 g to 30 g
Capacity (maxi)	1,5 t/h 35 000 fish/hour	
Number of channels	8	
Channel width	50 mm	
Connection diameter	125 mm	
Accuracy	98% - 100%	
Weight	25 kg - 55 lbs	
Voltage 50/60 Hz	Delivered with 110 - 240 V/24 V power supply	
Reference (Fresh and sea water)	<b>PESCA10</b>	

