



PESCAVISION

Led fish counter



The principle behind this counter is simple. A beam emitted by a LED crosses each channel. The fish that go through the beam give a counting pulse. The fish dividers ensure that the fish go through the beam one by one.




CBRC200

Helios grader coupled with three (3) Pescavision 30 counters and a reception tank.

Reception tank for Pescavision :
- Ø 200 mm Ref. : **CBRC200**

Easy to install on the farm with our new counting station with four (4) Pescavision fish counters and a reception tank.
Ref. : **PESCATROL** (see page 164)



A NEW optional control box to centralize counting information up to 4 fish counters
Ref. : **PESCA4CO**



Easy to use !
Large touch screen counter display.
All information in a single display:

- Number of fish for each counter
- Total number of fish
- History of the 5 last counting sessions
- Counting time



*Download the counting report on your PC with the USB key.

(*Control Box only)

Description

- ① Fish counter inlet female Ø 160 mm
- ② Fish dividers (Our fish counter is delivered with 4 fish dividers)
- ③ Fish counter body in marine grade aluminum
- ④ Channel access with cover
- ⑤ LCD display : number of fish
- ⑥ Counter feet
- ⑦ Carry handles
- ⑧ Fish counter outlet



Specifications

Fish counter model	PESCAVISION 30	
Fish species	Trout Salmon/Bass	Bream/Tilapia
Fish weight	40 g to 1 kg	40 g to 400 g
Capacity (maxi)	3 t/h	
Number of channels	4	
Channel width	91 mm	
Connection diameter	160 mm	
Accuracy	98% - 100%	
Weight	24 kg	
Voltage 50/60 Hz	Delivered with 110-240 V/24 V power supply	
Reference (Fresh and sea water)	PESCA30	

